

## GPI1 Pulser

- The GPI1 Pulser was designed to fit the new FM-530 or new style MD-130 meter-registers. The GPI1 contains a digital pulse filter, which eliminates overcounting due to vibration.



- Fits GPI meter-registers using the MD-130(New style) or FM-530 register.
- 10 pulses per gallon output, no configuration required.
- Digital pulse filtering eliminates overcounts.
- Simple bolt on installation.
- Intrinsically safe circuitry, no conduit required!
- Environmentally coated circuitry eliminates moisture problems.
- Heavily filtered power supply eliminates noise problems.
- Extended temperature operation. (-40 to 150 degrees F)
- 12VDC and 110VAC models available.
- Dual output model available.
- 2 year warranty
- List price \$149.95



### SPECIFICATIONS

	Input (Black Wires)		Output (Red Wires)
Operating Voltage:	12VDC (GPI1-12-SO-A) or (GPI1-12-DO-A) 110VAC (GPI1-110-SO-A) or (GPI1-110-DO-A)	Switching Voltage:	5 to 350 Volts AC or DC
Operating Temperature Range:	-40 to 150 degrees F.	Maximum Current	300mA
Maximum Speed:	50 GPM	ON Resistance	23-35 Ohms

### MODEL NUMBERS AND LIST PRICING

Model Number:	Description:	List Price:
GPI1-12-SO-A	12VDC Single Output	\$149.99
GPI1-12-DO-A	12VDC Dual Output	\$169.99
GPI1-110-SO-A	110VAC Single Output	\$149.99
GPI1-110-DO-A	110VAC Dual Output	\$169.99

### Integrated Control Systems Inc.

P.O. Box 541058  
Grand Prairie, TX. 75054-1058  
Voice: (972) 642-6800  
Fax: (972) 642-6804

For more information, please visit our website at:

[WWW.INTCONSYS.COM](http://WWW.INTCONSYS.COM)